MEZ-RIVCLINCH Aero

designed by Attexor/Böllhoff








Universal and fully pneumatic clinching machine for your efficient manufacturing of air ducts





















MEZ-RIVCLINCH Aero

designed by Attexor/Böllhoff

Product features:

- Extremely quick working through a clinching speed of approximately one clinching point per second
- Stable and airtight rectangular clinching point in parallel to the air duct profile
- Clinching in a single stroke with 35 kN
- Just one tool for all materials and sheet thicknesses up to 3,6 mm in air duct manufacturing through the unique concept of flexible die
- 360° pivoting rotation ring
- Variably selectable configuration of stamp and die
- Working without pressure converter at 5 to 6 bar
- Light, ergonomic and individual with a weight of less than 6 kg
- Mechanical wiper with elastomer buffer and solid covering
- Meets the highest requirements of air ducts according to DIN EN 1507:2006 for tightness class D

Technical datas:

- Weight: < 6 kg
- Compressed air supply: 5 to 6 bar (max.)
 Clinching force: 35 kN (6 bar)
- Cycle time: 0,9 to 1,5 sec.
- Working stroke, closed: 6,5 mm Total stroke, open: 35 mm
- Depth of jaw: 44 mm
- For sheet thicknesses from 3 x 0,5 mm to 3 x 1,2 mm

MEZ-TECHNIK GmbH Bierwiesenstraße 7 72770 Reutlingen I Germany Tel. +49 (0) 70 72/600 98-0 Fax +49 (0) 70 72/600 98-60 info@mez-technik.com I www.mez-technik.com

